ALL IN ONE SOLAR STREET LIGHT



IP65

Yea

5 Years

CE

Overview

All in One solar street light are becoming more and more popular to illuminate the streets due to its compact design and integrated features. It offers total freedom from electrical "main power" without request for trenching cabling or expensive labor costing. Not only our solar powered light are clean energy, eco-friendly and zero running cost, but also uncontrolled to grid power fluctuations and blackouts, ensuring perfect performance and continuity of service & safety all year round.



The Innovative Structure Designed with Great Originality

- Elegant Design
- Each Part Modular Design
- Extensible Solar Panel Wings
- · Easy maintenance
- Quick & Easy installation
- Time Control/ Dimmable / Motion Sensor Control



High efficiency solar panel takes use of monocrystalline photocells, a small panel can bring big power outputs and let the whole light have longer autonomy.



Maximum Power Point Tracking, it is the latest and most efficient solar charging technology which has 30% higher efficiency than PWM.



The LiFePO4 power battery cells have a long service life that 3,000 charge and discharge cycles 80% capacity remain.



Our battery packs design offer multiprotection technology that allows the whole battery pack to work correctly even few cells was damaged.



The motion senor detects movement within several meters of the unit and turns the LED module from 'dim mode' to 'full-brightness' mode



The voltage of solar panel will change according to the daylight, this is used as a photosensor to control the light work automatically.

Product Features

Bifacial PV Panels

Bifacial PV cells receive the reflected light from ground, it generates more power compare with single layer solar panel. Benefit by our innovative structure design, the double layer PV cells increase maximum 20% higher efficiency..




Extendable Solar Panel

The split solar panel is extendable so that you can add it more to meet different requirements, for some area which the sunshine is not enough, it is able to add more solar panels to absorb more sun energy.

Extendable Battery Module

The battery have a super high cooling structure You can add battery module to meet different requirements of back up time, meanwhile the battery is very easy to install and maintenance.





Adjustable Lighting Orientation

LED module brings a super high lumens efficiency, our patent solar street light have 1.5-1.8 times brightness at same power! The LED module is +60° to -60° rotatable, so that you can get a better lighting distribution.

Sturdy and Anti-theft Design

Two steps aluminum surface treatment — anodizing and powered coating. It is strong to stand in extremely environment. Metal mounting support makes it sturdy. The bolts takes use of anti-theft design for safety.



Working Mode




Motion Sensor Dimming


When the human body movement is detected, the solar street light will automatically adjust to full power output. When no one is moving, the light will be adjusted to dim or turn off.

Dusk to Dawn Mode

The solar lamp will automatically turn on from dusk to dawn. The light will keep constant brightness in a set power in the period.

*D/N Dly: Day/Night open load delay time. (0-30min)







Five-Stage Night Mode

The lamps lighting divide into 5 stage, each stage time and dim can be setting according to demands. With diming setting, it is an efficient way to save energy, and keep the lamp working in best power and time

TOT Motion Sensor Mode

If set time 4 to TOT mode, the controller will automatically calculate lasting time of time 4 according to actual night time.





Auto Turn on/off

The controller recognize day and night based on the solar panel open circuit voltage. This day/night threshold can be modified according to local solar radiation. The setting range is 3-8V, the standard setting is 5V.



IAIO210-150W

All in One Solar Street Light

All in One solar street light are popular in solar area lighting due to its compact design and integrated features. It offers total freedom from electrical "main power" without request for trenching cabling or expensive labor costing. Not only our solar powered light are clean energy, eco-friendly and zero running cost, but also uncontrolled to grid power fluctuations and blackouts, ensuring perfect performance and continuity of service & safety all year round.

Working Mode (Timing Control)

Stage	Stage 1	Stage 2	Stage 3	Stage 4	Stage 5
Time	1 H	2 H	3 H	3 H	2 H
Outputs	100%	50%	20%	10%	40%

Finish Color Options

Silvery RAL9006



Anthracite Grey RAL7016



Matt Black (on request)



Technical Data Model No. IAIO210-150W Mono 210Wp (90W+2*60W) PV Module Power 12.8V 90Ah LiFePO4 **Battery Capacity** Control Mode Motion Sensor/Timing Outline Dimension LED Module Power 150W LED Chips 100,000 hrs Visual Angle 80*150° (Type III) Luminous Efficiency 180Lm/W Max. Luminous Flux 27000 Lm Full Bright Mode Lighting >6.9 hrs Dim Mode Lighting(20%) IP Rating IP65 Wind Load Rate Charge Temperature 0°C ~ 60°C Discharge Temperature -10°C ~ 60°C Storage Temperature -10°C ~ 60°C 20-40m

Dimensions

